

## Daily Gas &amp; Condensate Production and Distribution Report

## I. Production

| Company          | Gas Fields                     | No. of Producing Wells   | Capacity    | Production    |                | Pro. as a % of T.Cap.(Gas) | Pro. as a % of T. Prod.(Gas) |             |
|------------------|--------------------------------|--------------------------|-------------|---------------|----------------|----------------------------|------------------------------|-------------|
|                  |                                |                          |             | Gas           | Condensate     |                            |                              |             |
| 1. BGFL          | Titas                          | 26                       | 542         | 416.3         | 313.0          | 11.1                       | 13.8                         |             |
|                  | Habiganj                       | 8                        | 225         | 188.0         | 17.6           | 5.0                        | 1.3                          |             |
|                  | Bakhrabad                      | 7                        | 43          | 40.3          | 41.5           | 1.1                        | 0.9                          |             |
|                  | Narsingdi                      | 2                        | 30          | 27.3          | 39.2           | 0.7                        | 0.9                          |             |
|                  | Meghna                         | 1                        | 11          | 7.8           | 17.0           | 0.2                        | 0.3                          |             |
|                  | <b>Sub-Total</b>               | <b>44</b>                | <b>851</b>  | <b>679.7</b>  | <b>428.3</b>   | <b>18.1</b>                | <b>22.5</b>                  |             |
| 2. SGFL          | Sylhet                         | 1                        | 6           | 3.8           | 19.9           | 0.1                        | 0.1                          |             |
|                  | Kailashtila #1 (Silicagel)     | 1                        | 13          | 5.7           | 34.1           | 0.2                        | 0.2                          |             |
|                  | Kailashtila #2 (MSTE)          | 3                        | 55          | 43.5          | 327.4          | 1.2                        | 1.4                          |             |
|                  | Rashidpur                      | 5                        | 60          | 46.8          | 42.9           | 1.2                        | 1.6                          |             |
|                  | Bearibazar                     | 1                        | 15          | 8.4           | 129.2          | 0.2                        | 0.3                          |             |
|                  | <b>Sub-Total</b>               | <b>11</b>                | <b>149</b>  | <b>108.0</b>  | <b>547.6</b>   | <b>2.9</b>                 | <b>3.6</b>                   |             |
| 3. BAPEX         | Salda                          | 2                        | 3           | 3.5           | 0.5            | 0.1                        | 0.1                          |             |
|                  | Fenchuganj                     | 2                        | 26          | 5.6           | 1.8            | 0.1                        | 0.2                          |             |
|                  | Shahbazpur                     | 4                        | 50          | 41.8          | 6.5            | 1.1                        | 1.4                          |             |
|                  | Semutjung                      | 2                        | 3           | 0.8           | 0.0            | 0.0                        | 0.0                          |             |
|                  | Sundjalpur                     | 1                        | 5           | 7.3           | 0.5            | 0.2                        | 0.2                          |             |
|                  | Srikail                        | 3                        | 40          | 29.1          | 85.2           | 0.8                        | 1.0                          |             |
|                  | Begumganj                      | 1                        | 10          | 5.6           | 1.4            | 0.1                        | 0.2                          |             |
|                  | Rupganj                        | 0                        | 8           | 0.0           | 0.0            | 0.0                        | 0.0                          |             |
|                  |                                | <b>Sub-Total</b>         | <b>15</b>   | <b>145</b>    | <b>93.8</b>    | <b>95.9</b>                | <b>2.5</b>                   | <b>3.1</b>  |
|                  |                                | <b>Sub-Total (1+2+3)</b> | <b>70</b>   | <b>1145</b>   | <b>881.4</b>   | <b>1071.8</b>              | <b>23.4</b>                  | <b>29.2</b> |
| 4. IOCs          | Jalalabad                      | 7                        | 270         | 210.3         | 1090.9         | 5.6                        | 7.0                          |             |
|                  | CHEVRON                        | 5                        | 42          | 19.6          | 2.8            | 0.5                        | 0.6                          |             |
|                  | Bibiyana                       | 26                       | 1200        | 1292.5        | 7756.9         | 34.4                       | 42.8                         |             |
|                  | TULLOW                         | 5                        | 103         | 98.4          | 283.0          | 2.6                        | 3.3                          |             |
|                  | <b>Sub-Total</b>               | <b>43</b>                | <b>1615</b> | <b>1620.8</b> | <b>9133.5</b>  | <b>43.1</b>                | <b>53.7</b>                  |             |
| 5. RPGCL (R-LNG) |                                | 0                        | 1000        | 516.1         | 0.0            | 13.7                       | 17.1                         |             |
|                  | <b>Sub-Total</b>               | <b>0</b>                 | <b>1000</b> | <b>516.1</b>  | <b>0.0</b>     | <b>13.7</b>                | <b>17.1</b>                  |             |
|                  | <b>Grand Total (1+2+3+4+5)</b> | <b>113</b>               | <b>3760</b> | <b>3018.3</b> | <b>10205.3</b> | <b>80.3</b>                | <b>100.0</b>                 |             |

## III. RPGCL Production

| Feed Received |       | Production |       |      |
|---------------|-------|------------|-------|------|
| NGL           | Cond. | LPG        | MS    | HSD  |
| 427.7         | 0.0   | 13291      | 544.3 | 44.1 |

N-S & RA pipeline  
Delivered from N-S pipeline

|              |               |
|--------------|---------------|
| AB1          | 0.0           |
| AB2          | 165.7         |
| BB           | 348.7         |
| VS3          | 86.5          |
| AM           | 452.4         |
| BD           | 437.6         |
| <b>Total</b> | <b>1490.9</b> |

Remarks:

## II. Distribution

| Company                             | Power                       |               | Fertilizer |              | Others-Supl. | Total         | Remarks                              |
|-------------------------------------|-----------------------------|---------------|------------|--------------|--------------|---------------|--------------------------------------|
|                                     | Power Plants                | Demand        | Supply     | Max.Demand   |              |               |                                      |
| TGTDCL                              | Ghorashal (1315 MW)         | 148.0         | 37.8       | JFCL         | 45.0         | 45.1          | 1222.3                               |
|                                     | Max (G)-78 MW Rent          | 20.0          | 15.9       | UFFL         | 45.0         | 0.0           |                                      |
|                                     | Aggreko (GSL)-145 MW Rent   | 38.0          | 0.0        | PUFFL        | 14.0         | 0.0           |                                      |
|                                     | Siddhirganj (210 MW)        | 30.0          | 0.0        |              |              |               | * Aggreko (GSL)-145 MW Rent Shutdown |
|                                     | Siddhirganj (2x120 MW)      | 52.0          | 0.0        |              |              |               | * Siddhirganj (210 MW) Shutdown      |
|                                     | HPS (100 MW)                | 16.0          | 0.0        |              |              |               | * Siddhirganj (2x120 MW) Shutdown.   |
|                                     | HPS(EGCB) 412 MW            | 68.0          | 42.4       |              |              |               | * HPS (100 MW) Shutdown              |
|                                     | Meghnaghat IPP 450 MW       | 75.0          | 65.6       |              |              |               | * Tongi (80 MW) Shutdown             |
|                                     | Summit Meghn. 335 MW        | 55.0          | 27.5       |              |              |               | * UFFL Shutdown                      |
|                                     | Tongi (80 MW)               | 26.0          | 0.0        |              |              |               | * PUFFL Shutdown                     |
|                                     | RPCL (210 MW)               | 40.0          | 24.6       |              |              |               |                                      |
|                                     | Madhabdi (27+10 MW) REB     | 9.0           | 6.3        |              |              |               |                                      |
|                                     | Ashulia (24+10 MW) REB      | 10.0          | 5.8        |              |              |               |                                      |
|                                     | Doreen Tangail 22 MW SIPP   | 5.0           | 2.4        |              |              |               |                                      |
|                                     | Doreen Narsingdi 22 MW SIPP | 5.0           | 2.7        |              |              |               |                                      |
|                                     | Maona 33 MW SIPP            | 8.0           | 6.5        |              |              |               |                                      |
| Rupganj 33 MW SIPP                  | 8.0                         | 6.3           |            |              |              |               |                                      |
| EGCB Shiddhirganj 335 MW            | 55.0                        | 40.7          |            |              |              |               |                                      |
| HPL ( 360 MW )                      | 55.0                        | 53.7          |            |              |              |               |                                      |
| Regent 108 MW                       | 27.0                        | 21.2          |            |              |              |               |                                      |
| <b>Sub-Total</b>                    | <b>750.0</b>                | <b>359.6</b>  |            | <b>104.0</b> | <b>45.1</b>  | <b>1222.3</b> | <b>1626.9</b>                        |
| BGDCL                               | Ashuganj 648 MW*            |               | 23.5       | AFCL         | 52.0         | 51.0          | 70.2                                 |
|                                     | Ashuganj 55 MW rental       | 192.0         | 23.5       |              |              |               | 12.1                                 |
|                                     | Ashuganj 53 MW rental       |               | 0.0        |              |              |               |                                      |
|                                     | Ashuganj -80 MW Rent        | 20.0          | 0.0        |              |              |               |                                      |
|                                     | Ashuganj 225MW              | 40.0          | 36.1       |              |              |               |                                      |
|                                     | Ashuganj 200 MW Modular     | 40.0          | 3.3        |              |              |               |                                      |
|                                     | APS 450 MW CCPP S           | 62.0          | 28.2       |              |              |               |                                      |
|                                     | APS 450 MW CCPP N           | 62.0          | 37.9       |              |              |               |                                      |
|                                     | B-baria 70 MW rental        | 24.0          | 0.0        |              |              |               |                                      |
|                                     | Feni-22 MW SIPP             | 5.0           | 4.5        |              |              |               |                                      |
|                                     | Mohipal-11 MW SIPP          | 3.0           | 1.8        |              |              |               |                                      |
|                                     | Jangalia-33 MW SIPP         | 8.0           | 4.2        |              |              |               |                                      |
|                                     | Chandpur 150 MW CCPP        | 27.0          | 24.6       |              |              |               |                                      |
| Comilla REB 24 MW                   | 6.0                         | 5.1           |            |              |              |               |                                      |
| Midland Power 51 MW                 | 12.0                        | 3.2           |            |              |              |               |                                      |
| <b>Sub-Total</b>                    | <b>501.0</b>                | <b>172.2</b>  |            | <b>52.0</b>  | <b>51.0</b>  | <b>82.3</b>   | <b>305.4</b>                         |
| KGDCL                               | Raozan (2x210) MW           | 95.0          | 0.0        | CUFL         | 52.0         | 36.4          | 142.7                                |
|                                     | Sikalbaha (40 MW)           | 12.0          | 0.0        | KAFCCO       | 63.0         | 51.6          | 1.9                                  |
|                                     | Sikalbaha (225+150+65) MW   | 73.0          | 56.0       |              |              |               |                                      |
|                                     | Barabkunda 22 MW SIPP       | 5.0           | 3.8        |              |              |               |                                      |
| <b>Sub-Total</b>                    | <b>185.0</b>                | <b>59.8</b>   |            | <b>115.0</b> | <b>88.0</b>  | <b>144.6</b>  | <b>292.4</b>                         |
| JGTDSL                              | Shahjibazar 2x30 MW         | 18.0          | 18.3       | SFCL         | 45.0         | 42.4          | 84.2                                 |
|                                     | S.Bazar 3 yrs rental 50 MW  | 12.0          | 0.0        |              |              |               |                                      |
|                                     | S.Bazar 15 yrs rent 86 MW   | 20.0          | 16.3       |              |              |               |                                      |
|                                     | S.Bazar 330 MW              | 47.0          | 54.6       |              |              |               |                                      |
|                                     | Fenchuganj CC1 90 MW        | 17.0          | 18.6       |              |              |               |                                      |
|                                     | Fenchuganj CC2 105 MW       | 18.0          | 9.7        |              |              |               |                                      |
|                                     | Kumargaon 20 MW             | 2.0           | 6.2        |              |              |               |                                      |
|                                     | K.gaoon 3 yrs rent 50 MW    | 12.0          | 0.0        |              |              |               |                                      |
|                                     | K.gaoon 15 yrs rent 10 MW   | 3.0           | 2.4        |              |              |               |                                      |
|                                     | K.gaoon 142 MW CCPP         | 36.0          | 24.6       |              |              |               |                                      |
|                                     | Habiganj 11 MW SIPP         | 3.0           | 1.2        |              |              |               |                                      |
|                                     | F.ganj 15 yrs rent 51 MW    | 13.0          | 9.9        |              |              |               |                                      |
|                                     | F.ganj 3 yrs rent 50 MW     | 10.0          | 10.0       |              |              |               |                                      |
|                                     | Shahjahanullah pgcl Rent    | 5.0           | 3.1        |              |              |               |                                      |
|                                     | Bibiyana-2 341 MW           | 50            | 48.7       |              |              |               |                                      |
| Bibiyana-3 400 MW                   | 40                          | 0.0           |            |              |              |               |                                      |
| Bibiyana-S,400 MW,PDB               | 43                          | 0.0           |            |              |              |               |                                      |
| Khushiyara 163 MW                   | 28                          | 25.3          |            |              |              |               |                                      |
| <b>Sub-Total</b>                    | <b>377.0</b>                | <b>248.8</b>  |            | <b>45.0</b>  | <b>42.4</b>  | <b>84.2</b>   | <b>375.4</b>                         |
| PGCL                                | Baghabari (100+71 MW)       | 50.0          | 0.0        |              |              |               | 22.7                                 |
|                                     | Bogra 15 yrs rent (20 MW)   | 5.0           | 4.6        |              |              |               |                                      |
|                                     | Ullapara 11 MW SIPP         | 3.0           | 1.5        |              |              |               |                                      |
|                                     | Bogra 3 yrs rent (20 MW)    | 5.0           | 2.7        |              |              |               |                                      |
|                                     | NWPGCL Unit -1              | 38.0          | 0.0        |              |              |               |                                      |
|                                     | NWPGCL Unit -2              | 38.0          | 25.2       |              |              |               |                                      |
|                                     | NWPGCL Unit -3              | 38.0          | 32.2       |              |              |               |                                      |
| NWPGCL Unit -4                      | 70.0                        | 54.2          |            |              |              |               |                                      |
| <b>Sub-Total</b>                    | <b>247.0</b>                | <b>124.4</b>  |            | <b>0.0</b>   |              | <b>22.7</b>   | <b>147.1</b>                         |
| SGCL                                | Bhola 3 yrs rent 34.5 MW    | 10.0          | 7.2        |              |              |               | 2.2                                  |
|                                     | Bhola 225 MW                | 35.0          | 17.9       |              |              |               |                                      |
|                                     | Bheramara 360MW             | 65.0          | 52.3       |              |              |               |                                      |
|                                     | Aggreko 95MW                | 26.0          | 15.4       |              |              |               |                                      |
| <b>Sub-Total</b>                    | <b>136.0</b>                | <b>92.8</b>   |            | <b>0.0</b>   |              | <b>2.2</b>    | <b>95.0</b>                          |
| <b>Total :</b>                      | <b>2196.0</b>               | <b>1057.5</b> |            | <b>316.0</b> | <b>226.4</b> | <b>1558.3</b> | <b>2842.3</b>                        |
| (Considering diversity factor 0.85) | <b>1867</b>                 |               |            | <b>269</b>   |              |               |                                      |

## Non-grid power

|                         |               |               |  |              |              |               |               |
|-------------------------|---------------|---------------|--|--------------|--------------|---------------|---------------|
| TGTDCL                  | 68.6          |               |  |              |              |               |               |
| KGDCL                   | 7.8           |               |  |              |              |               |               |
| Total Non-Grid Power    | 76.4          |               |  |              |              | 76.3          |               |
| <b>Grand Total</b>      | <b>2196.0</b> | <b>1133.9</b> |  | <b>316.0</b> | <b>226.4</b> | <b>1558.3</b> | <b>2918.6</b> |
| % of Total Distribution |               | 39%           |  | 8%           | 53%          | 100%          |               |